

NATEVBA

(vevasumab)

Natevba[®] (vevasumab):
Precision targeting in XA+
non-Hodgkin's lymphoma



**Exceptional
results**



**Manageable
dosing schedule**



**Natevba[®]
indication**

About XA+ NHL



**The need for
targeted treatment**

**Innovative mode
of action**

Minimal toxicity

Summary

Welcome, Dr XXX

What are you most interested in discussing today?

1	2	3	4	5	6
---	---	---	---	---	---

Drag topics to rank

Efficacy	Indication	Mode of action	Safety	Dosing	Disease background
----------	------------	----------------	--------	--------	--------------------

Welcome, Dr XXX

Last time you were most interested in:

Efficacy	Indication	Mode of action	Safety	Dosing	Disease background
----------	------------	----------------	--------	--------	--------------------


What would you like to discuss today?

1	2	3	4	5	6
---	---	---	---	---	---

Drag topics to rank

Efficacy	Indication	Mode of action	Safety	Dosing	Disease background
----------	------------	----------------	--------	--------	--------------------

With Natevba[®], precision targeting delivers exceptional results¹




Over 2 years
median PFS¹

See the data 



Meaningful
improvements
in QoL

See the data 



Over 80%
response rate¹


See the data 

PFS = progression-free survival; QoL = quality of life.

1. Vincent A et al. *Cancer Therapy and Management* 2020;22(1):87-88.



Natevba[®] delivers over 2 years median PFS¹




1. Vincent A et al. *Cancer Therapy and Management* 2020;22(1):87-88.

CI = confidence interval; HR = hazard ratio; PFS = progression-free survival.



Over 80% of patients respond to Natevba^{®1}



1. Vincent A et al. *Cancer Therapy and Management* 2020;22(1):87-88.

CI = confidence interval; CR = complete response; ORR = objective response rate.



Natevba[®] offers clinically meaningful improvements in QoL¹

Natevba[®] improved or maintained QoL for the duration of treatment in all five EuroQol domains:



Mobility



Self-care



Usual activities



Pain/
discomfort



Anxiety/
depression

1. Vincent A et al. *Cancer Therapy and Management* 2020;22(1):87-88.

QoL = quality of life.

NATEVBA

(vevasumab)

- Natevba[®] is an innovative new treatment targeting X-antigen¹
- Natevba[®] is indicated for the first-line treatment of X-antigen positive (XA+) non-Hodgkin's lymphoma¹



1. Natevba[®] (vevasumab) Summary of Product Characteristics.

Natevba[®] is the only treatment to target X-antigen, a highly specific marker of malignant lymphocytes¹

Watch the video below to see Natevba[®] in action.



1. Natevba[®] (vevasumab) Summary of Product Characteristics.

Natevba[®] is the only treatment to target X-antigen, a highly specific marker of malignant lymphocytes¹



In X-antigen-positive (XA+) non-Hodgkin's lymphoma (NHL), malignant lymphocytes are identifiable by a unique surface marker known as X-antigen.

Natevba[®] is an antibody-drug conjugate with three parts:

- Antibody specific to X-antigen
- Linker
- Cytotoxic agent

Natevba[®] recognises X-antigen on malignant lymphocytes and binds strongly. Binding triggers uptake of the drug into the cell. Inside the cell, the linker is cleaved, releasing the cytotoxic agent. This induces apoptotic cell death.

1. Natevba[®] (vevasumab) Summary of Product Characteristics.

With Natevba[®], precision targeting ensures minimal toxicity¹




Natevba[®] has a more favourable tolerability profile than chemotherapy, with a lower incidence of Grade 3–4 adverse events^{1,2}

Most common
adverse events



Natevba[®] has a low incidence of haematological adverse events, including neutropenia¹



Adverse events are generally reversible with appropriate dose adjustments¹

1. Vincent A et al. *Cancer Therapy and Management* 2020;22(1):87–88.

2. Natevba[®] (vevasumab) Summary of Product Characteristics.



Most common adverse events observed with Natevba® in phase III clinical development²

Frequency	Event
Very common	Infection, diarrhoea, nausea, vomiting, abdominal pain, fatigue, pyrexia.
Common	Dyspnoea, cough, headache, dizziness, weight loss, decreased appetite, alopecia, infusion-related reactions, neutropenia, increased ALT/AST levels.
Uncommon	Thrombocytopenia, leukopenia, anaemia, hyperglycaemia, rash, sepsis.
Rare	Hepatotoxicity, tumour lysis syndrome.
Very rare	Systemic lupus erythematosus.

2. Natevba® (vevasumab) Summary of Product Characteristics.

ALT = alanine aminotransferase; AST = aspartate aminotransferase.

Natevba[®]'s manageable dosing schedule lets patients get on with life¹



Natevba[®] has a convenient 4-weekly infusion schedule¹

- The recommended dose is 1.8 mg/kg administered as an intravenous infusion over 30 minutes every 4 weeks

1

Natevba[®] is indicated as monotherapy, freeing patients from the burden of chemotherapy¹

Dose calculator

Patient's body weight (kg)



Recommended dose of Natevba[®] (mg)

1. Natevba[®] (vevasumab) Summary of Product Characteristics.

X-antigen positive (XA+) non-Hodgkin's lymphoma (NHL) is a particularly aggressive subtype of NHL, with a poor prognosis¹

Worldwide, over half a million people are diagnosed with NHL per year¹


XA+ NHL is an aggressive subtype with rapid progression and a low survival rate¹



1. McGuire T et al. *Cancer Therapy Review* 2018;12(4):469-470.



Symptoms are similar to other types of NHL; however, the XA+ subtype progresses quickly, so patients are likely to be diagnosed at a later stage.¹




1. McGuire T et al. *Cancer Therapy Review* 2018;12(4):469–470.

NHL = non-Hodgkin's lymphoma; XA+ = X-antigen-positive.

Current treatments do not effectively target malignant cells and therefore have high toxicity¹

- Unlike in other types of NHL, monoclonal antibody treatments show poor efficacy in XA+ subtypes and are generally not used¹
- Chemotherapy is the standard of care, but has limited efficacy and high toxicity¹



1 in 4


XA+ NHL patients discontinue chemotherapy due to adverse events.¹

NHL = non-Hodgkin's lymphoma; XA+ = X-antigen-positive.
1. McGuire T et al. *Cancer Therapy Review* 2018;12(4):469-470.

Natevba[®]: Precision targeting in XA+ NHL



An innovative new treatment
targeting X-antigen¹



Exceptional results²



Minimal toxicity²



NHL = non-Hodgkin's lymphoma; XA+ = X-antigen-positive.

1. Natevba[®] (vevasumab) Summary of Product Characteristics.

2. Vincent A et al. *Cancer Therapy and Management* 2020;22(1):87-88.

We'd love to hear your thoughts on the discussion today

What did you find the most useful part of the discussion today?

Dropdown menu with options: Efficacy, Indication, Mode of action (selected), Safety, Dosing, Disease background.

What topics would you be interested in receiving further information about?

Form with checkboxes for: Efficacy, Indication, Mode of action, Safety, Dosing, Disease background (with an 'X' icon).

Do you have any other comments about the discussion today?

Empty text input field for additional comments.

Save for later

Submit